


Sorgene® Xtra

POWERFUL DISINFECTANT

FOR THE PROTECTION OF ALL ANIMALS



Sorgene® Xtra is a very powerful, broad spectrum environmental disinfectant, based upon a stabilised blend of peroxygen compounds. It is effective against viruses, bacteria and hard to kill fungal spores. Sorgene® Xtra is odourless in-use, non-staining and non-tainting.

DIRECTIONS FOR USE

For best results, follow mucking out with a pre-clean of all surfaces, using a bactericidal detergent.

Spraying: Apply the Sorgene® Xtra dilution via a pressure washer at low pressure, knapsack sprayer or any conventional spraying equipment at the rate of 5 litres of disinfectant solution per 10 square metres. Prepare all dilutions fresh daily in clean containers.

Fogging: Use any commercially available fogging machine, preferably a fixed or transportable type. Place diluted material into the reservoir of the machine and fog at the rate of 12ml per cubic metre. On completion of fogging, keep the shed/room sealed for 30 minutes, then open the doors. It will be safe for re-entry after a further 30 minutes.

NATE OF USE VILLION RATE VILLI
All accommodation areas, machinery, feeding equipment, hatchory, fractors Wheel dips, foot dips, 1:100 Wheel dips, foot dips, 1:100 (change according to use) BORINININE WATER SYSTEMS 1:200 SPECIFIC APPLICATIONS SPECIFIC APPLICATIONS FOOLING 1:200 All accommodation areas 1:200 Cup dipping 1:200 Cup dipping 1:200 Cow cubicles 1:100 Ringworm control 1:200 Cluster dipping 1:200
Transport, tractors
DRINKING WATER SYSTEMS 1.400 then flush with clean water F06GING 1.200 SPECIFIC APPLICATIONS 1.200 SPECIFIC APPLICATIONS 1.200 FOR UIT? (including pageons, game birds) 1.200 Egg dispination areas 1.200 Carl Control 1.200 Carl Pens 1.200 Cover cabulotes 1.100 Cluster dipping 1.200 PISS 1.200
POULTRY (including pigeons, game birds) All accommodation areas 1.200 Egg diploing 1:300 @ 41°C CATTLE
All accommodation areas 1200 Egg dipping 1:300 € 41°C CATTLE Calf Pens 1200 Cow cubicles 1:100 Ringworm control 1200 Cluster dipping 1:200 PIGS 9
Cow cubicles 1:100 Ringworm control 1:200 Cluster dipping 1:200 PIGS
Ringworm control 1:200 Cluster dipping 1:200 PIGS
Cluster dipping 1:200 PIGS
All accommodation areas 1:200 INDOOR LAMBS
Buildings prior to lambing 1:200
Pen disinfection between lamb batches to control scour,1:100 orf, watery mouth etc.
SMALL ANIMALS E.G. DOGS, CATS
All accommodation areas 1:100
Litter trays, feeding bowls (disinfect every 2-3 days) 1:100 Canine paryovirus 1:100
HORSES 1:100
Stables, horse boxes, etc., and tack 1:100
Stations, force business, size and other viruses. Strangles, Metritis 1:100 Equine flu, herpes and other viruses. Strangles, Metritis 1:100 and other bacterial diseases EXPERT is the presence of a politicable disease when the presenced dilution about he lead

This disinfectant product has been approved for disinfection of inanimate surfaces where an approved product is required to be used under the control legislation for the following specific disease(s) orders: . Foot-and-mouth disease at the dilution rate of one part of this

preparation plus 800 parts of water: . Swine vesicular disease at the dilution rate of one part of this

preparation plus 25 parts of water;

• Poultry diseases including avian influenza, influenza of avian origin

in mammals, Newcastle disease, paramyxovirus at a dilution rate of one part of this preparation plus 145 parts of water;

This disinfectant product has also been approved at a dilution of 1 part of this preparation plus 256 parts water for disinfection of inanimate surfaces where General Orders require the use of an approved disinfectant, but this approval does not apply to disinfection required under the specific control legislation relating to Tuberculosis disease.

This approval is granted under the Diseases of Animals (Approved Disinfectants) Orders made by the Secretary of State for Environment, Food and Rural Affairs in England, Scottish ministers in Scotland and Welsh ministers in Wales. For confirmation of continuing approval refer to the Defra list of approved disinfectants at http://disinfectants.defra.gov.uk

The contents of this container are guaranteed by the manufacturer to be of the same composition and quality as the sample submitted for approval testing.

Sorgene® Xtra

Contains 5% w/w peracetic acid. UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC

ACID MIXTURE, STABII ISED

May intensify fire: oxidiser. May be corrosive to metals. Hármful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eve damage. May cause respiratory irritation. Very toxic to aquatic life with long lasting effects.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking. Wear protective gloves/ protective clothing/ eve protection/ face protection, IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE or doctor/physician. Avoid release to the environment. Aquisition, possession or use by the general public is restricted.

Marketed in Ireland by: Marketed in UK by: BASF Ireland DAC. BASF plc, 4th and 5th 4th and 5th Floors, 2 Floors, 2 Stockport Exchange, Railway Road. Stockport Exchange. Railway Road, Stockport Stockport SK1 3GG. SK1 3GG, Telephone: Telephone: 0044 (0) 161 475 3000 0044 (0) 161 475 3000

0049 180 2273112 **Technical Queries:**

Emergency Information: (24 hours freephone): 0044 (0)845 602 2553 (office hours)

PCS No. 98905

UFI: 5278-Y360-G00P-VJM3

PLEASE NOTE

Disinfectant dilution rates for effectiveness relate to use on a clean surface.

(a)thoroughly cleansed, ensuring the dung, litter, etc. is removed and disposed of so there is no risk of contact with livestock: and

(b)(the clean surface) washed or sprayed with an approved disinfectant used at the approved dilution rate.

This preparation is also approved by the Department of Agriculture, Environment & Rural Affairs Northern Ireland as a disinfectant under the Diseases of Animals (Northern Ireland) Order 1981 for the disease(s) listed and at the dilution rate(s) stated above.

Expiry date: 12 months after manufacture. Always read the label. Use biocides safely.

UK: pestcontrol.basf. co.uk/Sorgene-Xtra/ MSDS

IE: agricentre.basf.ie/ Sorgene-Xtra-IE/MSDS







(01)04041885069917

1175332 G ã 204

ᇹ